

Material Safety Data Sheet

Concrete Admixture Products

MSDS No. 1062

Section 1- Product Identification

805 4th St Suite 3 San Rafael, CA 94901, USA, Emergency Mobile number; +8801704624048.

Effective Date March, 2017 Date Last Revised..... April 8, 2019.

Trade Name MM-500 H.S. Code: 3824.40.00

Synonym Multi-purpose Admixture.

Chemical family Aqueous Polymer Dispersion

CAS No Formulated Mixture

MIS Hazard Rating –

Health	1	4 = Extreme
Fire	0	3 = High
Reactivity	0	2 = Moderate
Personal protection	C	1 = Slight
(Glasses, gloves, apron)		0 = Insignificant

Section 2 – Hazardous Ingredients

Ingredients	CAS No.	%	ACGIH/TWA	OSHA/STEL	OTHER
None	NL	NL	NL	NL	NL

NE = Not Established

NL = Not listed

C = Carcinogen by OSHA

Section 3 – Physical Data

Boiling point [deg F]	212° F
Melting point [deg F]	NA
Vapor Pressure [deg F]	0 deg C
Vapor Density [air = 1].....	Same as water
Specific Gravity [H ₂ O=1.07]	0.98
Evaporation Rate	0.9 – 1
Solubility in water	Dispersible in Water at 0.67/100 ratio
Appearance / Oder	Milky low viscous color, liquid
PH	7 ± 0.8
Stability	Stable under normal conditions or room
Temperature (25°C).	

NA = Not Applicable

NV = Not Volatile

ND = Not Determined

Page: 1/3

Section 4 – Fire and Explosion Hazard Data

Flash point [deg F]	Not Applicable.
Lower Explosion limit	Not flammable.
Upper Explosion limit	Not Flammable.
Extinguishing Media	Water, carbon dioxide, or dry chemical.
Special Fire Fighting procedures.....	Fire fighters must be equipped to prevent breathing decomposition products.
Usual fire explosion Hazards	Unknown

Section 5 – Health Hazard Data

Permissible Exposure Level	None established
Effects of Over Exposure	
	Eyes - Direct Contact may be irritating to eyes
	Skin – prolonged Contact may be irritating to skin.
First Aid Procedures:	
Eye contact	Flush immediately with soap and plenty of water for at least 15 minutes. Contact with physician.
Skin Contact	Wash with soap and plenty of water, Remove contaminated clothing and wash.
Ingestion	If ingested call a physician.
Inhalation	Shift to fresh air.

Section 6 – Reactivity Data

Chemical Stability	Stable.
Conditions to Avoid	Extremely high temperatures.
Incompatible materials	Unknown
Hazardous Decomposition Products ...	Thermal decomposition may produce noxious gases.
Hazardous Polymerization	Will not occur

Section 7 – Spill or Leak procedure

For spills	Clean up with water before allowing to dry. Place in a suitable container for further handling and disposal.
Waste Disposal	In accordance with local, state and federal regulations (Bio-degradable).

Section 8 – Special Protection information

Respiratory protection	Not Required
Eye protection	Chemical Goggles
Protection Gloves	Required
Ventilation	General ventilation is recommended.
Other protection	General ventilation is recommended
Other Protective equipment ...	Not Required

Section 9 – Special Information

Precautions to be taken in Handling and Storage Avoid prolonged contact, store in dry area, and avoid from freezing.

Other Precautions Spilled material is slippery.

Section 10 –Transportation Regulatory Information

DOT Proper Shipping Name	Not regulated
DOT Classification	None
UN/UA Number	None
Hazard label	None
TSCA.....	None
SARA Title III	None
CTFA Designation	None
California Proposition 65	None Detectable

Additional Information

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREON, MULTIMIX. MAKES NO WARRANTY WITH RESPECT THERE TO AND DISCLAIM ALL LIABILITY FROM RELIANCE THERE ON.

Warranty

Multimix warrants that MM-500 is manufactured and formulated to In-house standards. If the material is found defective, Multimix may, at its option, replace the Defective material or refund the purchase price provided the purchaser has examined the Material upon receipt and has promptly notified Multimix prior to the material being applied. By Using the product, purchaser agrees that no other remedy including, but not limited to, incidental or consequential damages, shall be available be the purchaser.

Unless otherwise agreed to in writing by Multimix there is no warranty beyond that described above, Multimix does not accept any liability for particular methods, uses or applications, and performance of the material except user manual supplied by Multimix or by MMCL, nor does it accept any liability for any intended use of the material. THERE ARE NO OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE THAT EXTEND BEYOND THAT DESCRIBED HEREIN THIS WARRANTY MAY NOT BE MODIFIED OR EXTENDED BY EXCLUSIVE DISTRIBUTORS MULTIMIX COMPANY LLC.